



I N S A F E H A N D S

CATALOGUE

Disposable and reusable gloves for professionals



www.reflexx.com

Reflexx is leader in the sale of **nitrile, latex, vinyl, polyethylene, disposable and reusable gloves.**







La mission di **Reflexx** è fornire guanti per uso professionale che offrano massima protezione, qualità costante e innovazione al miglior costo possibile.

Reflexx's mission is to provide the maximum protection, constant quality and innovation at the most convenient price for professional gloves.

<p>OVER 50 PRODUCTS IN OUR RANGE</p>	<p>MORE THAN 2000 CUSTOMERS IN 29 COUNTRIES</p>	<p>27 SALES AGENCIES OPERATING IN ITALY AND EUROPE</p> 	
	<p>BUSINESS VOLUME OVER 600 CONTAINERS PER YEAR</p> 		
 <p>headquarter VIADANA (MN) ITALY</p>	 <p>commercial office GENOVA ITALY</p>	 <p>INNOVATIVE PRODUCTS</p>	 <p>PARTNERSHIP with the best manufacturing companies in the Far East</p>

SALES CHANNELS

Reflexx provides its products only to **professional users through specialized distributors** in the following sales channels:

					
Dental	Food usage	Laboratory and medical usage	Janitorial and cleaning companies	Industrial	Cosmetics and tattoo artists

4-5	Regulations	Reflexx 44 Reflexx 98
6-7	Usage industries	
8-14	Food Line	
	Reflexx 77 FOOD	
	Reflexx 72	
	Reflexx N81	
	Reflexx 20	
	Reflexx 95	
15-19	Care Line	
	Reflexx L550	
	Reflexx N320	
	Reflexx L600	
	Reflexx N350	
20-34	Nitrile	
	Reflexx 99	
	Reflexx N79 Plus	
	Reflexx N85	
	Reflexx N85B	
	Reflexx 67	
	Reflexx N69	
	Reflexx 68	
	Reflexx 70	
	Reflexx N71	
	Reflexx 78	
	Reflexx 76	
	Reflexx 77	
	Reflexx N80 Blue	
35-39	Latex	
	Reflexx 40	
	Reflexx 46	
40-41	Vinile	Reflexx 36
42-45	Polietilene	Reflexx T25 Reflexx T22 Reflexx 18
46-52	Supported	Reflexx N22 Reflexx PU22 Reflexx N16 Reflexx PU18 White, Grey, Black Reflexx N12 Reflexx PU13
53-57	Reusable	Reflexx 101 Reflexx 97 Reflexx 94 Reflexx 90 / Reflexx 92
58-60	Feather Line	Feather Cotton Feather Plus Feather Latex PF Feather Nitrex Feather Flexx PF
61-63	Marketing	



Medical Devices (MD)



The EU Regulation 2017/745, which enforced on May 26, 2021, in all EU countries, replaces Directive 93/42 / EEC (standards EN 455 parts 1,2,3 and 4) and provides the requirements for the Medical gloves production, as well as the obligations of labeling and assessment of biological safety and validity. Gloves are medical devices and ensure protection from contamination to the patient and to the user, they are considered a real barrier to fluids and microorganism.

AQL
≤1,5

AQL is the Acceptable Quality Level of the product and indicates the acceptable maximum number of flaws during a sample inspection. The higher the AQL value is, the lower is the product quality. The strict European regulations regarding Medical Devices (standard EN 455-2) and Personal Protective Equipment (REG. EU 2016/425 - standard EN 374-2) uniformly require an AQL for micro-holes ≤ 1.5 as an effective barrier against microorganisms (fungi and bacteria).

Personal Protective Equipment (PPE)



The new PPE Regulation EU 2016/425 has amended in April 2018 and replaced the previous PPE Directive 89/686/EEC. The new PPE regulation now specifies three classes based on risk definitions:

CAT I: minimal risk; self-certified.

CAT II: risks other than those listed in Categories I and III; certified by approved body.

CAT III: very serious risks which may cause death or irreversible damage to health; certified by approved body.

Only the approved bodies may issue a CE mark for PPE CAT II and CAT III. The gloves may not be sold or used without a proper CE mark.

EN 420:2003 + A1:2009



This standard defines the general requirements for glove design, marking and sizing applicable to all protective gloves.

HOW TO MEASURE YOUR HAND IN ORDER TO CHOOSE THE RIGHT GLOVE SIZE

- Use a dressmaker's cloth tape to measure the circumference of the palm of your hand at its widest point (in mm).
- Cross reference that measurement with the table provided below.

	XS	S	M	L	XL	XXL
GLOVE SIZE	6	7	8	9	10	11
HAND CIRCUMFERENCE - MM	152	178	203	229	254	279

EN 374-1:2016+A1:2018

This standard specifies the capability of gloves to protect the user against chemicals and/or micro-organisms.

CLASSIFICATION	MINIMUM PERFORMANCE LEVEL REQUIRED	MINIMUM NUMBER OF CHEMICALS FROM THE 18 LISTED	ICONS
TYPE A	2 (≥ 30 min breakthrough)	6	EN ISO 374-1:2016/ KPLMTJ
TYPE B	2 (≥ 30 min breakthrough)	3	EN ISO 374-1:2016/ KPT
TYPE C	1 (≥ 10 min breakthrough)	1	EN ISO 374-1:2016/ K

EN ISO 374-5:2016

Performance requirements for micro-organisms risks

EN ISO 374-5:2016



Pictogram for protective gloves against bacteria and fungi.

EN ISO 374-5:2016



VIRUS

For protection against bacteria, fungi and virus. The term VIRUS underneath is enclosed to the biohazard pictogram. Tested according to ISO16604:2004 (Phi-X174 bacteriophage).

Permeation Time

It is the time taken for the hazardous liquid to pass through the gloves and get in contact with the hand's skin.


PROTECTION INDEX	BREAKTHROUGH TIME
Level 1	> 10 Min
Level 2	> 30 Min
Level 3	> 60 Min
Level 4	> 120 Min
Level 5	> 240 Min
Level 6	> 480 Min

Degradation

It is the change in puncture resistance of a protective glove due to contact with a chemical. The change after chemical contact shall be tested for all permeation tested chemicals on the glove and the result mentioned in the instructions for use.

EN 388:2016+A1:2018

EN 388:2016



abc-

PERFORMANCE LEVEL RATINGS	
a - Abrasion resistance (cycles)	1-4
b - Blade cut resistance (Coupe Test / Index)	1-5
c - Tear resistance (newton)	1-4
d - Puncture resistance (newton)	1-4
e - EN ISO Cut resistance (newton)	A-F
f - EN Impact protection	(P) PASSED or (F) FAILED

Level X can also be applied for "a" through "f" above, which means "not tested" or "not applicable"

Food Contact Material (FCM)



The gloves for alimentary use are not only a fundamental hygiene measure, it is also an FCM - Food Contact Material (Regulation EC 1935/2004 - Italian Ministerial Decree 21.03.1973, EU Reg. 10/2011 and subsequent updates and changes).

What are FCMs? "Any material or article intended to come into contact with food shall be manufactured in compliance with good manufacturing practice so that they do not transfer their constituents to food in quantities which could: endanger human health, cause an unacceptable change in the food composition, or bring about a deterioration in the organoleptic characteristics thereof."

All subjects in the food production chain (producer/distributor/final user) are legally obliged to verify and respect the requirements of the legislation regarding FCMs. In line with law requirements, all Reflexx gloves are tested for overall and specific migration, using food simulants as shown in the chart here below.

EDIBLE FOOD GROUP TYPES AND SIMULANTS ACCORDING TO REG EU 10/2011

ABBREVIATION	FOOD SIMULANTS	SIMULATED FOOD
Food simulant_A	Ethanol 10% (v/v)	Aqueous
Food simulant_B	Acetic acid 3% (p/v)	Acid
Food simulant_C	Ethanol 20% (v/v)	Alcoholic
Food simulant_D1	Ethanol 50% (v/v)*	Dairy
Food simulant_D2	Vegetable oil	Oily, fatty
Food simulant_E	Poly 2,6-diphenyl-p-phenylene oxide, (MPPO)	Dry

* Tested with Ethanol 50% complying with EU Regulation 10/2011



DENTAL

REFLEXX NBio
REFLEXX L600
REFLEXX N350

REFLEXX 40
REFLEXX 46

REFLEXX 76
REFLEXX 77
REFLEXX N80B



LABORATORY AND
MEDICAL USAGE

REFLEXX NBio
REFLEXX L600
REFLEXX N350

REFLEXX 40
REFLEXX 46
REFLEXX 98 HR

REFLEXX 99 NHR
REFLEXX 68
REFLEXX 70
REFLEXX N71
REFLEXX 76
REFLEXX 77
REFLEXX N80B

REFLEXX V34
REFLEXX 36



FOOD USAGE

Reflexx NBio

REFLEXX 77
REFLEXX 72
REFLEXX N81
REFLEXX 20
REFLEXX 95

REFLEXX 99 NHR
REFLEXX 70
REFLEXX N71

REFLEXX T25
REFLEXX T22





INDUSTRIAL

REFLEX 46
REFLEX 44
REFLEX 98 HR

REFLEX 99 NHR
REFLEX N79 PLUS
REFLEX N85
REFLEX N69
REFLEX 68
REFLEX 67
REFLEX 70
REFLEX N71

REFLEX N22 CUT
REFLEX PU22 CUT
REFLEX N16 MS
REFLEX PU18 W/G/B
REFLEX N12
REFLEX PU13

REFLEX 95
REFLEX 94
REFLEX 97 HD
REFLEX 101 HD



JANITORIAL AND CLEANING COMPANIES

REFLEX NBio
REFLEX N350

REFLEX 98 HR


REFLEX 99 NHR
REFLEX 70
REFLEX 76
REFLEX 77
REFLEX N80B

REFLEX V34
REFLEX 36

REFLEX 18

REFLEX 95
REFLEX 94
REFLEX 90
REFLEX 92

FEATHER Cotton
FEATHER Plus
FEATHER Latexx pf
FEATHER Nitrex
FEATHER Flexx pf



COSMETICS AND TATTOO ARTIST

REFLEX L600
REFLEX N350

REFLEX 40
REFLEX 46
REFLEX 44

REFLEX N79 PLUS
REFLEX 78
REFLEX 76
REFLEX N80B

REFLEX V34
REFLEX 36



FOOD LINE: 100% FOOD SAFETY

The Reflexx Food gloves were among the first to be specially conceived and designed for the food sector and are continuously evolving. This is a complete line of gloves with a range of differing characteristics, a products line which can be used with all types of food and in various professional sectors where gloves are used on a daily basis: the food processing and transformation industry, restaurant kitchens of all sizes, canteens, mass catering and the food sectors of large-scale retail (delicatessens, charcuterie, fishmongers, bakeries).



GLOVES FOR ALIMENTARY USE ARE NOT ALL THE SAME

The gloves of the Reflexx Food Line are **tested several times a year** in prestigious European laboratories beyond what is required by law to verify the stability of the materials in different production batches. All the gloves of the Reflexx Food Line have obtained and still obtain, in each test, global and specific migration results within the normal limits. The gloves of the Reflexx Food Line are tested for the presence of NIAS (Non Intentionally Added Substances) and for the specific migration of metals (including lanthanides) and primary aromatic amines.

Also tested with 50% Ethanol simulant in line with the European Regulation 10/2011.

WHY ARE THE FOOD GLOVES BLUE?

The colour of gloves for alimentary use is not a casual choice. Blue is not a colour found in any foodstuffs, and therefore in the case of cuts to the glove, any fragments can be immediately identified, thus eliminating the risk of contaminating the food. With a view to HACCP guidelines, and therefore Risk Analysis, the use of a blue glove is clearly a suitable precautionary measure.



SUITABILITY WITH THE MOST COMMON FOODS				
FOOD	FOOD LINE	LATEX	NITRILE	VINYL
ALCOHOLIC BEVERAGES	●	●	●	●
BUISCUIT PRODUCTS, BAKERY, FRESH AND DRY PASTRIES	●	●*	●	●
CHOCOLATE, SUGAR AND THEIR PRODUCTS, CONFECTIONERY AND HONEY	●	●*	●	●
FRUITS AND VEGETABLES	●	●	●	●
DAIRY PRODUCTS: MILK, YOGHURT, CHEESE	●	●	●	●
FRESH FISH, CHILLED, SMOKED, CRUSTACEANS AND MOLLUSCS; MEATS OF EACH SPECIES FRESH CHILLES AND SMOKED, HAM, SALAMI	●	●	●	●
VINEGAR, DRINK UNFILTERED OR TURBID COFFEE, TEA, BEERS, SOFT DRINKS	●	●	●	●
FATS AND OILS: BUTTER, LARD, MARGARINE, EGG YOLK AND EGG WHITE. MISCELLANEOUS REASTED OR FIRED FOODS, SANDWICHES	●	●	●	●
SAUCES, SPICES AND AROMAS	●	●	●	●

Summary table showing the results of the tests carried out by Reflexx at certified laboratories on all of the Reflexx products, including those not belonging to the FOOD line.

● Suitable ● Unsuitable ● According to the model

*dry food only

The Italian Chefs Federation approves the Reflexx Food Line

Nowadays, most Italian professional chefs use gloves from the Reflexx Food line in their everyday work. A milestone resulting from the partnership born between F.I.C. and Reflexx now 5 years ago.



ACADEMIA BARILLA

The first center dedicated to Italian gastronomic culture has chosen the quality of Reflexx gloves.

ACADEMIA
BARILLA



REFLEX 77

COMING



ULTRA THIN NITRILE GLOVES

LIKE A SECOND SKIN

Carefully-selected raw materials and 100% controlled, technologically advanced production systems make this model particularly suitable for food use.

3 g weight makes them ultra-thin for unprecedented sensitivity while material's top quality provides excellent resistance.

The absence of powder reduces the risk of food contamination or dermatitis.



100% FOOD



- 100% FOOD
- Inner Chlorination
- Micro-roughened
- Weight: 3.0 g



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	R77100F S	R77100F M	R77100F L	R77100F XL
-------------	-----------	-----------	-----------	------------

FEATURES		FOOD SUITABILITY	
WEIGHT	3.0 g +/- 0.2 (M)	AQUEOUS	✓
PALM THICKNESS	0.06 mm +/- 0.02	ACID pH <4,5	✓
LENGTH	24 cm	DAIRY	✓
COLOUR	Light Blue	ALCOHOLIC	✓
SURFACE	Micro-roughened	OILY, FATTY	✓
OTHER	Inner chlorination	DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS

EN ISO 374-1:2016
Type C

EN ISO 374-5:2016



VIRUS

AQL
≤ 1,5

REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS

PACKAGING



USAGE





REFLEX 72

RELIABLE AND RESISTANT NITRILE GLOVES

APPROVED BY USERS SINCE 2015

One of the first gloves on the market to be specifically developed for contact with all foods.

Tested and loved by millions of professional users since 2015.

3,9 g weight is the ideal balance between sensitivity, resistance and durability.

The **absence of powder** reduces the risk of food contamination or dermatitis.



100% FOOD



- 100% FOOD
- Inner Chlorination
- Micro-roughened
- Weight 3.9 g



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	R72 S	R72 M	R72 L	R72 XL
-------------	-------	-------	-------	--------

FEATURES	
WEIGHT	3.9 g +/- 0.3 (M)
PALM THICKNESS	0.08 mm +/- 0.02
LENGTH	24 cm
COLOUR	Light Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



EN ISO 374-1:2016
Type C



EN ISO 374-5:2016



AQL
≤ 1,5



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX N81



ULTRA THIN NITRILE GLOVES

FOOD SERVICE

3.0 g for maximum sensitivity and good resistance.

Disposable, ambidextrous, powder free and 100% latex free.

Black nitrile glove suitable for every Ho.Re.Ca service.




Certified for resistance against
VIRUS - EN ISO 374-5:2016



**FOOD SERVICE
ULTRA THIN**



- Weight: 3.0 g
- Inner chlorination
- Micro-roughened

-  DURABILITY
-  SENSITIVITY
-  CHEMICAL RESISTANCE



ITEM / SIZE	N81 S	N81 M	N81 L	N81 XL
FEATURES		FOOD SUITABILITY		
WEIGHT	3.0 g +/- 0.2 (M)		AQUEOUS	✓
PALM THICKNESS	0.06 mm +/- 0.02		ACID pH <4,5	✗
LENGTH	24 cm		DAIRY	✓
COLOUR	Black		ALCOHOLIC	✓
SURFACE	Micro-roughened		OILY, FATTY	✓
OTHER	Inner chlorination		DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE





REFLEX 20

CPE POLYETHYLENE GLOVES

POWDER FREE, DISPOSABLE, AMBIDEXTROUS

Easy donning and removal thanks to the wide cuff and the availability of several sizes.

Its rough surface allows a secure grip and increased sensitivity.

Good resistance and elasticity in comparison to normal polyethylene gloves, thanks to increased thickness and the use of more flexible materials.

Great value for money if the glove is needed just for hygienic purpose.



100% FOOD



- Easy donning
- Micro-roughened



ITEM / SIZE		R20 S	R20 M	R20 L	R20 XL
FEATURES					
WEIGHT	1.6 g +/- 0.1 (M)				
PALM THICKNESS	0.025 mm +/- 0.003				
LENGTH	28 cm				
COLOUR	Blue				
SURFACE	Micro-roughened				
OTHER	Powder Free				
		FOOD SUITABILITY			
		AQUEOUS	✓		
		ACID pH <4,5	✓		
		DAIRY	✓		
		ALCOHOLIC	✓		
		OILY, FATTY	✓		
		DRY FOODS	✓		

Tested for 2h at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEXX 95 FH



UNLINED NITRILE GLOVES

33 CM REUSABLE GLOVES

Ideal for the food industry for the handling of sharp-surfaced foods such as fish, crustaceans, bones, etc.

Do not contain Z-MBT (zinc 2-mercaptobenzothiazole, accelerato used in production) which is subject to restrictions according to FCM regulations.

Sold in pairs.



100% FOOD



- Thickness: 0.22 mm
- Inner Chlorination
- Anti-slip pattern



ITEM / SIZE	R95 S	R95 M	R95 L	R95 XL
FEATURES		FOOD SUITABILITY		
WEIGHT	44.0 g +/- 5.0 (M)		AQUEOUS	✓
PALM THICKNESS	0.22 mm +/- 0.03		ACID pH <4,5	✓
LENGTH	33 cm		DAIRY	✓
COLOUR	Blue		ALCOHOLIC	✓
SURFACE	Anti-slip pattern		OILY, FATTY	✓
OTHER	Unlined		DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG 388:2016+A1:2018
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



* 5 masterbag of 10 packs each

USAGE



LINEA REFLEXX CARE: PERCHÈ LE TUE MANI SONO PREZIOSE

Il guanto è utilizzato spesso per diverse ore al giorno in molte professioni e ci rendiamo conto che ciò possa creare problemi anche invalidanti per i soggetti più sensibili. Siamo fortemente convinti che le mani siano tra gli strumenti più importanti per qualsiasi professione e per la vita di tutti i giorni e proprio per questo motivo abbiamo deciso di sviluppare la linea REFLEXX CARE che risponde in modo innovativo e qualitativamente elevato alle esigenze di NUTRIZIONE e di PROTEZIONE delle tue mani.

IL MARCHIO

Questo è il marchio che contraddistingue i guanti della linea Care, particolarmente consigliati per la cura della pelle.



ACCELERATOR-FREE GLOVES

Do you often have your hands irritated, reddened, swollen though not using latex gloves?

You have most likely developed a type IV (delayed hypersensitivity) allergy to chemical elements. The causes of these types of allergies in relation to the use of gloves, are due to chemical additives and probably to accelerating agents (eg thiurames, carbamates, benzothiazoles) used during the production process.

Low Derma™ is the patented technology involved in the production of hypoallergenic nitrile gloves. These particular gloves provide all-round protection to the worker.



Patented Technology *

ALOE VERA GLOVES

Aloe vera is just one of the many aloe species, but undoubtedly, the most used both in cosmetics and health. It is a plant known since ancient times for its interesting properties.





10X Reflexx NBio


Reflexx NBio vs standard nitrile glove:
at least 10 times faster biodegradation!*

If case scenario

If conventional nitrile gloves take 50 years to biodegrade,
Reflexx NBio biodegrades in 5 years!



Reflexx NBio degrades 36,7% in only 513 days**



*in active landfills

**according to ASTM D5511

Reflexx NBio is the way!

Same Reflexx quality but better for the planet!

10 times faster biodegradation rate!

Disposable, ambidextrous and 100% latex free.

Special “bio” formula for increased biodegradation in active landfills.

Accelerators free - e.g. thiurames, carbamates, bezothiazoles.

 Weight: 3.5 g

 Powder Free



ITEM / SIZE	NBio S	NBio M	NBio L	NBio XL
-------------	--------	--------	--------	---------

FEATURES	
WEIGHT	3.5 g +/- 0.2 (M)
PALM THICKNESS	0.07 mm +/- 0.02
LENGTH	24 cm
COLOUR	Pastel Green
SURFACE	Micro-roughened

FOOD SUITABILITY 	
AQUEOUS	✓
ACID PH <4.5	✗
DAIRY	✗
ALCOHOLIC	✓
OILY, FATTY	✓
FRY FOODS	✓



Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS ALLERGENS USAGE

REG UE 2016/425
EN ISO 374-1, EN ISO 374-5
REG UE 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG UE 10/2011



REFLEX L600



LATEX GLOVES WITH ALOE VERA

HIGH THICKNESS

LOW PROTEIN: protein content below 50 µg/g, limiting the risk of allergies and increasing biocompatibility.

LOW
PROTEIN

The Aloe Vera is processed in the inner side of the glove in a cold cycle without using grease.

It is then dried to preserve all the features, without affecting the beneficial properties of the plant. The heat and humidity of the hand reactivate the beneficial properties of Aloe Vera.

Internally chlorinated for easy donning.
Micro-roughened surface to increase the grip.
Disposable, ambidextrous and powder free.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



- Weight: 6.2 g
- Aloe vera relieves the itching and burning of the skin



ALOE VERA



ITEM / SIZE	L600 XS	L600 S	L600 M	L600 L	L600 XL
-------------	---------	--------	--------	--------	---------

FEATURES	
WEIGHT	6.2 g +/- 0.3 (M)
PALM THICKNESS	0.12 mm +/- 0.03
LENGTH	24 cm
COLOUR	Green
SURFACE	Micro-roughened
OTHER	Inner chlorination



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX N350



HYPOALLERGENIC NITRILE GLOVES

ACCELERATORS-FREE

Low Derma™ is the result of a special proven and reliable production technology that **eliminates most of the causes of type IV allergies:** accelerating agents.

Sulfur-free and accelerators-free - e.g. thiurames, carbamates, benzothiazoles..

Improved elasticity and force at breakability.
Internally chlorinated for easy donning.

Micro-roughened surface to increase the grip.

Disposable, ambidextrous and powder free.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



LOW DERMA™



- Weight: 3.2 g
- Allergy prevention
- Pure and clean with reduced traces of metals and anions



Patented Technology



ITEM / SIZE	N350 XS	N350 S	N350 M	N350 L	N350 XL
-------------	---------	--------	--------	--------	---------

FEATURES		FOOD SUITABILITY	
WEIGHT	3.2 g +/- 0.2 (M)	AQUEOUS	✓
PALM THICKNESS	0.06 mm +/- 0.02	ACID pH <4,5	✗
LENGTH	24 cm	DAIRY	✓
COLOUR	Blueberry Blue	ALCOHOLIC	✓
SURFACE	Micro-roughened	OILY, FATTY	✓
OTHER	Inner chlorination	DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS


PACKAGING



USAGE



NITRILE



WHY CHOOSE IT:

Chemical polyvalent resistance





































Good mechanical resistance


Low migration to food

WHY AVOID IT:

Low biodegradability



NITRILE GLOVES: COMPARISON TABLE			
PRODUCT	DURABILITY	SENSITIVITY	CHEMICAL RESISTANCE
REFLEXX 99			
REFLEXX N79 PLUS			
REFLEXX N85			
REFLEXX 67			
REFLEXX N69			
REFLEXX 68			
REFLEXX 70			
REFLEXX N71			
REFLEXX 78			
REFLEXX 76			
REFLEXX 77			
REFLEXX N80 BLUE			



REFLEXX 99 NHR



HIGH RISK NITRILE GLOVES

X-LONG CUFF 29 CM

High Resistance gloves.

Increased thickness and length pulling the wrist over the garments.

Micro-roughened surface to increase the grip and the sensitiveness.

Disposable, ambidextrous, powder free and 100% latex free.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



**EXTRA LONG
EXTRA STRONG**



- Long Cuff
- Weight: 8.8 g
- Inner Chlorination
- Micro-roughened



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	R99 S	R99 M	R99 L	R99 XL	R99 XXL
FEATURES		FOOD SUITABILITY			
WEIGHT	8.8 g +/- 0.5 (M)		AQUEOUS	✓	
PALM THICKNESS	0.15 mm +/- 0.03		ACID pH <4,5	✓	
LENGTH	29 cm		DAIRY	✓	
COLOUR	Indigo		ALCOHOLIC	✓	
SURFACE	Micro-roughened		OILY, FATTY	✓	
OTHER	Inner chlorination		DRY FOODS	✓	

Tested for 30' at 40°

CERTIFICATIONS



EN ISO 374-1:2016



KPT

EN ISO 374-5:2016



VIRUS

AQL
≤ 1,5



REGULATIONS

REG EU 2016/425

EN ISO 374-1, EN ISO 374-5

REG EU 2017/745 | EN 455 1,2,3,4

DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS

PACKAGING



USAGE



REFLEX N79 Plus



X-LONG NITRILE GLOVES

X-LONG CUFF 30 CM

Disposable, ambidextrous, powder free and 100% latex free.

Long cuff for better protection pulling the wrist over the garment.

The enhanced thickness guarantees a better mechanical resistance.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



EXTRA



- Long Cuff
- Weight: 7.7 g
- Inner Chlorination
- Micro-roughened



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	N79P S	N79P M	N79P L	N79P XL
-------------	--------	--------	--------	---------

FEATURES	
WEIGHT	7.7 g +/- 0.4 (M)
PALM THICKNESS	0.14 mm +/- 0.03
LENGTH	30 cm
COLOUR	Black
SURFACE	Micro-roughened
OTHER	Inner chlorination



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4

ALLERGENS



CHEMICALS



PACKAGING



USAGE





REFLEX N85

POWDER FREE NITRILE GLOVES

FULL GRIP 3D

Special 3D grip on the whole palm and fingers for improved grip.

The special orange colour helps the worker in low light conditions.

Heavy duty: high weight makes the glove particularly suitable for heavy duty usage.




The special diamond finish on the entire palm and fingers guarantees an optimal grip even with wet and slippery products.



**FULL GRIP
HEAVY DUTY**



- Full Grip 3D
- Weight: 8.4 g
- Length: 24 cm

-  DURABILITY
-  SENSITIVITY
-  CHEMICAL RESISTANCE



ITEM / SIZE		N85 M	N85 L	N85 XL	N85 XXL
FEATURES					
WEIGHT	8.4 g +/- 0.4 (M)				
PALM THICKNESS	0.15 mm +/- 0.20				
LENGTH	24 cm				
COLOUR	Orange				
SURFACE	3D FULL GRIP				
OTHER	Inner chlorination				
FOOD SUITABILITY					
AQUEOUS		X			
ACID pH <4,5		X			
DAIRY		X			
ALCOHOLIC		X			
OILY, FATTY		✓			
DRY FOODS		✓			

Tested for 30' at 40°

CERTIFICATIONS



EN ISO 374-1:2016

Type B



KPTJ

EN ISO 374-5:2016



AQL
≤ 1,5

REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS

PACKAGING



USAGE





REFLEX N85

POWDER FREE NITRILE GLOVES

FULL GRIP 3D

Special 3D grip on the whole palm and fingers for improved grip.

Heavy duty: the high weight makes the glove particularly suitable for heavy duty usage.

The special diamond finish on the entire palm and fingers guarantees an optimal grip even with wet and slippery products.



**FULL GRIP
HEAVY DUTY**



- Full Grip 3D
- Weight: 8.4 g
- 24 cm



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	N85B M	N85B L	N85B XL	N85B XXL
-------------	--------	--------	---------	----------

FEATURES	
WEIGHT	8.4 g +/- 0.4 (M)
PALM THICKNESS	0.15 mm +/- 0.20
LENGTH	24 cm
COLOUR	Black
SURFACE	3D FULL GRIP
OTHER	Inner chlorination



CERTIFICATIONS



EN ISO 374-1:2016
Type B



EN ISO 374-5:2016



AQL
≤ 1,5

REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5

ALLERGENS



CHEMICALS

PACKAGING



USAGE



REFLEXX 67



STRONG NITRILE GLOVES

ENHANCED THICKNESS

Black colour. Disposable, ambidextrous, powder free and 100% latex free.

The higher thickness guarantees a better mechanical strength.

Good resistance to oils, fats and to a wide variety of chemicals.

The micro-finish rough increases grip, tactile sensitivity and dexterity.



STRONG



- Weight: 5.5 g
- Inner Chlorination
- Micro-roughened



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	R67 M	R67 L	R67 XL	R67 XXL
-------------	-------	-------	--------	---------

FEATURES	
WEIGHT	5.5 g +/- 0.3 (M)
PALM THICKNESS	0.11 mm +/- 0.02
LENGTH	24 cm
COLOUR	Black
SURFACE	Micro-roughened
OTHER	Inner chlorination



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5

ALLERGENS



CHEMICALS

PACKAGING



USAGE



REFLEX N69



POWDER FREE NITRILE GLOVES

EXTRA STRONG

Disposable, ambidextrous, powder free and 100% latex free.

Its high thickness makes it the perfect mix between chemical resistance, mechanical resistance and dexterity.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



EXTRA STRONG



- Weight: 6.8 g
- Inner Chlorination
- Micro-roughened



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	N69 S	N69 M	N69 L	N69 XL	N69 XXL
-------------	-------	-------	-------	--------	---------

FEATURES	
WEIGHT	6.8 g +/- 0.4 (M)
PALM THICKNESS	0.13 mm +/- 0.03
LENGTH	24 cm
COLOUR	Light Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



EN ISO 374-1:2016



KPT

EN ISO 374-5:2016



VIRUS

AQL ≤ 1,5



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX 68



EXTRA STRONG NITRILE GLOVES

RESISTANT AND COMFORTABLE

Disposable, ambidextrous, powder free and 100% latex free.

The enhanced thickness guarantees a better mechanical resistance.

The very high nitrile quality makes it particularly soft and comfortable

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



EXTRA



- Weight: 6.0 g
- Inner Chlorination
- Micro-roughened



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	R68 S	R68 M	R68 L	R68 XL
FEATURES		FOOD SUITABILITY		
WEIGHT	6.0 g +/- 0.3 (M)		AQUEOUS	✓
PALM THICKNESS	0.12 mm +/- 0.03		ACID pH <4,5	✗
LENGTH	24 cm		DAIRY	✗
COLOUR	Green		ALCOHOLIC	✓
SURFACE	Micro-roughened		OILY, FATTY	✓
OTHER	Inner chlorination		DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX 70



TOP QUALITY NITRILE GLOVES

BEST SELLER

Disposable, ambidextrous, powder free and 100% latex free.

Very resistant product with a wide variety of uses.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



**TOP QUALITY
NITRILE**



- Weight: 4.9 g
- Inner Chlorination
- Micro-roughened



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	R70 S	R70 M	R70 L	R70 XL	R70 XXL
-------------	-------	-------	-------	--------	---------

FEATURES	
WEIGHT	4.9 g +/- 0.3 (M)
PALM THICKNESS	0.10 mm +/- 0.02
LENGTH	24 cm
COLOUR	Light Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓*
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

* use ≤10'

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEXX N71



POWDER FREE NITRILE GLOVES

MULTI-USE, HYPOALLERGENIC

Low Derma™ is the result of a special, proven and reliable production technology that **eliminates most of the causes of type IV allergies:** accelerating agents.

Disposable, ambidextrous, powder free and 100% latex free.

Micro-roughened surface to increase the grip and the sensitiveness.

The **absence of powder** reduces the risk of dermatitis and contamination.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



LOW DERMA™



- Weight: 4.2 g
- Inner Chlorination
- Micro-roughened



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	N71 S	N71 M	N71 L	N71 XL
-------------	-------	-------	-------	--------

FEATURES	
WEIGHT	4.2 g +/- 0.02 (M)
PALM THICKNESS	0.09 mm +/- 0.02
LENGTH	24 cm
COLOUR	Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓*
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

* use ≤10'

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS

PACKAGING



USAGE



REFLEX 78



BLACK NITRILE GLOVES

IDEAL FOR COSMETICS AND TATTOOS

Black colour. Disposable, ambidextrous, powder free and 100% latex free.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

Suitable for the contact with most type of food.



BLACK



- Weight: 4.0 g
- Inner Chlorination
- Micro-roughened



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	R78 XS	R78 S	R78 M	R78 L	R78 XL
-------------	--------	-------	-------	-------	--------


FEATURES	
WEIGHT	4.0 g +/- 0.2 (M)
PALM THICKNESS	0.08 mm +/- 0.02
LENGTH	24 cm
COLOUR	Black
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✓*
ALCOHOLIC	✓*
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

* use ≤10'

CERTIFICATIONS



AQL
≤ 1,5



VIRUS

REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE





REFLEXX 76

SOFT NITRILE GLOVES

SOFT AND ELASTIC

Disposable, ambidextrous, powder free and 100% latex free.

Special "soft" formulation for increased elasticity and sensitiveness.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



SOFT



- Weight: 3.5 g
- Inner Chlorination
- Micro-roughened



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	R76 XS	R76 S	R76 M	R76 L	R76 XL
-------------	--------	-------	-------	-------	--------

FEATURES	
WEIGHT	3.5 g +/- 0.2 (M)
PALM THICKNESS	0.07 mm +/- 0.02
LENGTH	24 cm
COLOUR	Light Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX 77



ULTRA THIN NITRILE GLOVES

ULTRA THIN

Carefully-selected raw materials and 100% controlled, technologically advanced production systems make possible to produce a 3.0 grams glove with excellent weight resistance.

Disposable, ambidextrous, powder free and 100% latex free.

Ultra thin for great sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



**ULTRA THIN
TOP QUALITY**



- Weight: 3.0 g
- Inner Chlorination
- Micro-roughened



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	R77100 XS	R77100 S	R77100 M	R77100 L	R77100 XL
-------------	-----------	----------	----------	----------	-----------

FEATURES	
WEIGHT	3.0 g +/- 0.2 (M)
PALM THICKNESS	0.06 mm +/- 0.02
LENGTH	24 cm
COLOUR	Light Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEXX N80B



ULTRA THIN NITRILE GLOVES

MULTI - USE

Disposable, ambidextrous, powder free and 100% latex free.

This glove is suitable for several uses thanks to its great versatility.




The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against
VIRUS - EN ISO 374-5:2016

Also available in packs of 200 pcs.



- Weight: 3.0 g
- Inner Chlorination
- Micro-roughened

-  DURABILITY
-  SENSITIVITY
-  CHEMICAL RESISTANCE



ULTRA THIN



ART. / TAGLIE N80B | N80B200 XS N80B | N80B200 S N80B | N80B200 M N80B | N80B200 L N80B | N80B200 XL

FEATURES	
WEIGHT	3.0 g +/- 0.2 (M)
PALM THICKNESS	0.06 mm +/- 0.02
LENGTH	24 cm
COLOUR	Light Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



LATEX



WHY CHOOSE IT:

Great elasticity even at low temperatures

Waterproof

Good biodegradability

WHY AVOID IT:

Possible sensitizations in predisposed subjects

Unpredictable raw material costs



REFLEXX 40



POWDERED LATEX GLOVES

TOP QUALITY

Disposable, ambidextrous.

Lightly pre-powdered with cornstarch.

First choice product.

Great flexibility, sensitivity and impermeability obtained with high-technology production plants and selection of raw materials.




Certified for resistance against
VIRUS - EN ISO 374-5:2016



**TOP QUALITY
NATURAL LATEX**



- Weight: 5.4 g
- Smooth Surface

-  DURABILITY
-  SENSITIVITY
-  CHEMICAL RESISTANCE




ITEM / SIZE	R40 XS	R40 S	R40 M	R40 L	R40 XL
-------------	--------	-------	-------	-------	--------

FEATURES	
WEIGHT	5.4 g +/- 0.3 (M)
PALM THICKNESS	0.09 mm +/- 0.02
LENGTH	24 cm
COLOUR	White
SURFACE	Smooth
OTHER	Powdered

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✗
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



VIRUS

REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS

PACKAGING



USAGE




REFLEX 46



POWDER FREE LATEX GLOVES

TOP QUALITY

LOW PROTEIN: protein content below 50 µg/g to reduce the risk of allergies and increasing biocompatibility.



Internally chlorinated to reduce the risk of allergies.

Micro-roughened surface to increase the grip and the sensitiveness.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



**TOP QUALITY
NATURAL LATEX**



- Weight: 5.7 g
- Inner Chlorination
- Micro-roughened



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



ITEM / SIZE	R46 XS	R46 S	R46 M	R46 L	R46 XL
-------------	--------	-------	-------	-------	--------

FEATURES	
WEIGHT	5.7 g +/- 0.3 (M)
PALM THICKNESS	0.10 mm +/- 0.02
LENGTH	24 cm
COLOUR	Amber
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✗
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEXX 44



POWDER FREE LATEX GLOVES

EXTRA RESISTANT

LOW PROTEIN: protein content below 50 µg/g, to reduce the risk of allergies and increasing biocompatibility.

LOW
PROTEIN

Higher thickness for better strength.

Micro-roughened surface to increase the grip and the sensitiveness.

The **absence of powder** reduces the risk of dermatitis and contamination.




Externally chlorinated to increase resistance and grip in greasy conditions.

Internally chlorinated for easy donning and to reduce the risk of allergies and dermatitis.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



- Weight: 6.2 g
- Inner/outer Chlorination
- Micro-roughened

-  DURABILITY
-  SENSITIVITY
-  CHEMICAL RESISTANCE



EXTRA

ITEM / SIZE	R44 S	R44 M	R44 L	R44 XL
-------------	-------	-------	-------	--------

FEATURES	
WEIGHT	6.2 g +/- 0.3 (M)
PALM THICKNESS	0.12 mm +/- 0.03
LENGTH	24 cm
COLOUR	Black
SURFACE	Micro-roughened
OTHER	Inner/outer chlorination



CERTIFICATIONS



AQL
≤ 1,5



MD

VIRUS

REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX 98 HR



HIGH RISK LATEX GLOVES

X-LONG CUFF 30 CM

LOW PROTEIN: protein content below 50 µg/g, to reduce the risk of allergies and increasing biocompatibility.

LOW
PROTEIN

High resistance gloves. Disposable, ambidextrous.

Internally chlorinated for easy donning and to reduce the risk of allergies and dermatitis.

Micro-roughened surface to increase the grip and the sensitiveness.

EN ISO 374-1:2016 TYPE A
(certified with 6 chemicals)

Certified for resistance against
VIRUS - EN ISO 374-5:2016



- Inner Chlorination
- Micro-roughened
- Weight: 18.5 g
- Long Cuff



DURABILITY



SENSITIVITY



CHEMICAL RESISTANCE



**EXTRA LONG
EXTRA STRONG**



ITEM / SIZE	R98 S	R98 M	R98 L	R98 XL	R98 XXL
-------------	-------	-------	-------	--------	---------

FEATURES	
WEIGHT	18.5 g +/- 1.0 (M)
PALM THICKNESS	0.33 mm +/- 0.06
LENGTH	30 cm
COLOUR	Blue
SURFACE	Micro-roughened
OTHER	Inner chlorination

FOOD SUITABILITY	
AQUEOUS	X
ACID pH <4,5	X
DAIRY	✓
ALCOHOLIC	X
OILY, FATTY	X
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS

PACKAGING



USAGE



VINYL



WHY CHOOSE IT:

- Not contains accelerators
- Good biocompatibility
- Good value for money

WHY AVOID IT:

- Poor elasticity and molecular cohesion
- Poor mechanical resistance



REFLEX 36



POWDER FREE VINYL GLOVES

Manufactured with specific low toxicity phthalates.

Disposable, ambidextrous, powder free and 100% latex free.

High biocompatibility.

The absence of powder reduces the risk of dermatitis and contamination.

Certified for resistance against
VIRUS - EN ISO 374-5:2016



- Weight: 5.0 g
- Smooth Surface

- DURABILITY
- SENSITIVITY
- CHEMICAL RESISTANCE



ITEM / SIZE	R36 S	R36 M	R36 L	R36 XL
-------------	-------	-------	-------	--------

FEATURES	
WEIGHT	5.0 g +/- 0.3 (M)
PALM THICKNESS	0.07 mm +/- 0.02
LENGTH	24 cm
COLOUR	Transparent
SURFACE	Smooth
OTHER	Powder Free

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✗
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



POLYETHYLENE



WHY CHOOSE IT:

Cheap

Suitable with food contact

Easy donning

WHY AVOID IT:

Poor resistance especially near weldings



REFLEX T25



THERMOPLASTIC ELASTOMER GLOVES (TPE)

MEDICAL DEVICE

Disposable, ambidextrous, powder free and 100% latex free.

Easy donning and removal thanks to the wide cuff and the availability of several sizes.

Its rough surface allows a secure grip and increased sensitivity.

Good resistance and elasticity in comparison to polyethylene gloves (HDPE and CPE) thanks to increased thickness and the use of more flexible materials (TPE).

Recommended for medical use.



- Weight: 2.5 g
- Micro-roughened
- Long Cuff



ITEM / SIZE	T25 S	T25 M	T25 L	T25 XL
FEATURES		FOOD SUITABILITY		
WEIGHT	2.5 g +/- 0.2 (M)		AQUEOUS	✓
PALM THICKNESS	0.09 mm +/- 0.01		ACID pH <4,5	✓
LENGTH	26 cm		DAIRY	✓
COLOUR	Blue		ALCOHOLIC	✓
SURFACE	Micro-roughened		OILY, FATTY	✓
OTHER	Powder free		DRY FOODS	✓

Tested for 2h at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG EU 2017/745 | EN 455 1,2,3,4
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX T22



THERMOPLASTIC ELASTOMER GLOVES (TPE)

STRETCH

Disposable, ambidextrous, powder free and 100% latex free.

Easy donning and removal thanks to the wide cuff and the availability of several sizes.

Its rough surface allows a secure grip and increased sensitivity.

Good resistance and elasticity in comparison to polyethylene gloves (HDPE and CPE) thanks to increased thickness and the use of more flexible materials (TPE).

Great value for money if the glove is needed just for hygienic purpose.



STRETCH



- Weight: 2.0 g
- Micro-roughened
- Long Cuff



ITEM / SIZE		T22 S	T22 M	T22 L
FEATURES		FOOD SUITABILITY		
WEIGHT	2.0 g +/- 0.1 (M)	AQUEOUS	✓	
PALM THICKNESS	0.05 mm +/- 0.003	ACID pH <4,5	✓	
LENGTH	27 cm	DAIRY	✓	
COLOUR	Blue	ALCOHOLIC	✓	
SURFACE	Micro-roughened	OILY, FATTY	✓	
OTHER	Powder free	DRY FOODS	✓	

Tested for 2h at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



USAGE



REFLEX 18



HIGH DENSITY POLYETHYLENE GLOVES (HDPE)

100 and 500 PCS PACK.

Disposable, ambidextrous, powder free and 100% latex free.

Slightly embossed surface.
Recommended for any use where a low-cost, easy-to-wear disposable glove is required.

The pack of 500 pcs. greatly reduces costs for each shipment and handling.

Also available in packs of 100 pcs.



HIGH DENSITY



- Weight: 0.7 g
- Micro-roughened
- Powder Free



ITEM / SIZE		R18 P500	ONE SIZE
FEATURES		FOOD SUITABILITY	
WEIGHT	0.7 g +/- 0.1 (M)	AQUEOUS	✓
PALM THICKNESS	0.01 mm +/- 0.003	ACID pH <4,5	✓
LENGTH	28 cm	DAIRY	✓
COLOUR	Transparent	ALCOHOLIC	✓
SURFACE	Micro-roughened	OILY, FATTY	✓
OTHER	Powder free	DRY FOODS	✓

Tested for 2h at 40°


CERTIFICATIONS



REGULATIONS

REG EU 2016/425
DM 21/03/1973 | REG EU 10/2011

PACKAGING



USAGE



SUPPORTED



Supported gloves are protective gloves made of a coated fabric. They are made by dipping a knitted glove into a liquid compound such as nitrile or polyurethane. The knitted part “supports” the coating and adds strength, therefore they are called “supported gloves”.

The Reflexx range of supported gloves is renewed by adding six new high-quality aerated models (PRO) alongside the classic line.

EN 388:2016+A1:2018

Performance levels (X=not tested)

Abrasion resistance	1-4
Cut resistance (Coupe test)	1-5
Tear resistance	1-4
Puncture resistance	1-4
Cut resistance (EN ISO 13997 TDM Test)	A-F
Impact protection (EN 13594:2015) (left blank if not performed)	P

Size color (highlighted on the cuff)

6 / XS	Pink
7 / S	Green
8 / M	Blue
9 / L	Yellow
10 / XL	Red
11 / XXL	Black

② LATEX FREE

Aerated back

PRO gloves packaging

On the back: indications of use

Environment of use

Certifications EN 388:2016

CE PPE Cat II

Product name

Main features

Description in 8 languages

Size indicator

Legenda



Bodywork



General manufacturing



Hobby sectors



Assembly



Logistics



Carpentry



Painting



Construction



Electronics

REFLEXX N22 MS



NITRILE MICROSANDY GLOVES

ANTI-CUT

Cut resistant glove: level C.

The HPPE knit provides cut-resistance, while the elastane and polyamide make the glove elastic and comfortable.

The palm is coated with a DOUBLE application of **Nitrile Microsandy**, which provides for excellent grip and elevated oil and water repellence.

Ideal for use in damp working environments or in the presence of oil and grease.

Dimethylformamide (DMF) free.

EN 388:2016+A1:2018 - 4X43C



- Length: 24 cm
- Nitrile Microsandy double dip
- Seamless



CUT PROTECTION



ITEM / SIZE	N22 S	N22 M	N22 L	N22 XL	N22 XXL
-------------	-------	-------	-------	--------	---------

FEATURES	
LENGTH	24 cm (M)
COLOUR	Black
LINER MATERIAL	HPPE Elastan Polyamide
COATING	Nitrile Microsandy
OTHER	Seamless
THICKNESS	13 Gauge

COATING



ANTI-CUT



ENVIRONMENT OF USE



CERTIFICATIONS



EN 388:2016+A1:2018

EN 420



4X43C



REGULATIONS

REG EU 2016/425

EN 388:2016 + A1:2018

ALLERGENS



CHEMICALS



PACKAGING



* 5 masterbag of 10 packs each

USAGE



REFLEXx PU22



POLYURETHANE GLOVES

ANTI-CUT

Cut resistant glove: level C.

The HPPE knit provides cut-resistance, while the elastane and polyamide make the glove elastic and comfortable.

Polyurethane coated palm, which provides the utmost breathability.

Ideal for use in dry working environments.

EN 388:2016+A1:2018 - 4X42C



CUT PROTECTION



- Length: 24 cm
- Polyurethane Coating
- Seamless



ITEM / SIZE	PU22 XS	PU22 S	PU22 M	PU22 L	PU22 XL	PU22 XXL
-------------	---------	--------	--------	--------	---------	----------

FEATURES	
LENGTH	24 cm (M)
COLOUR	Black / Melange
LINER MATERIAL	HPPE Elastan Polyamide
COATING	Polyurethane
OTHER	Seamless
THICKNESS	13 Gauge

COATING



ANTI-CUT



ENVIRONMENT OF USE



CERTIFICATIONS



EN 388:2016+A1:2018

EN 420



4X42C



REGULATIONS

REG EU 2016/425
EN 388:2016 + A1:2018

ALLERGENS



CHEMICALS



PACKAGING



* 5 masterbag of 10 packs each

USAGE



REFLEXX N16 MS



NITRILE MICROSANDY GLOVES

Polyamide/spandex glove.

The presence of Spandex increases the elasticity of the glove, also limiting the penetration of liquids.

Nitrile Microsandy coated palm which provides an excellent grip and increased oil and water repellence.

Ideal for use in damp working environments or in the presence of oil and grease.

Dimethylformamide (DMF) free.

EN 388:2016+A1:2018 - 4121X



NITRILE MICROSANDY



- Length: 24 cm
- Nitrile Microsandy coating
- Seamless



ITEM / SIZE	N16 XS	N16 S	N16 M	N16 L	N16 XL	N16 XXL
-------------	--------	-------	-------	-------	--------	---------

FEATURES	
LENGTH	24 cm (M)
COLOUR	Black
LINER MATERIAL	Polyamide / Spandex
COATING	Nitrile Microsandy
OTHER	Seamless
THICKNESS	15 Gauge


COATING



ENVIRONMENT OF USE



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN 388:2016 + A1:2018

ALLERGENS



CHEMICALS



PACKAGING



* 10 masterbag of 10 packs each

USAGE



REFLEXX PU18



POLYURETHANE GLOVES

Polyamide glove..

Polyurethane coated palm which provides utmost breathability.

Ideal for use in dry working environments.

Available in 3 different colours: white, grey and black..

EN 388:2016+A1:2018 - 4131X



PU18B

PU18G

PU18W

POLYURETHANE



- Length: 24 cm
- Polyurethane Coating
- Seamless



ITEM / SIZE	PU18W XS	PU18W S	PU18W M	PU18W L	PU18W XL	PU18W XXL
ITEM / SIZE	PU18G XS	PU18G S	PU18G M	PU18G L	PU18G XL	PU18G XXL
ITEM / SIZE	PU18B XS	PU18B S	PU18B M	PU18B L	PU18B XL	PU18B XXL

FEATURES	
LENGTH	24 cm (M)
COLOUR	White, grey or black
LINER MATERIAL	Polyamide
COATING	Polyurethane
OTHER	Seamless
THICKNESS	13 Gauge


COATING



ENVIRONMENT OF USE



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN 388:2016 + A1:2018

ALLERGENS



CHEMICALS



PACKAGING



* 10 masterbag of 10 packs each

USAGE



REFLEXX N12



NITRILE GLOVES

Seamless knitted white synthetic gloves, **grey nitrile palm coated**.

Elastic wrist, open back.

Not suitable for dipping.

EN 388:2016+A1:2018 - 2131X



FEATURES	
LENGTH	24 cm (M)
COLOUR	White / Grey
LINER MATERIAL	Synthetic
COATING	Nitrile
OTHER	Seamless
THICKNESS	13 Gauge
ITEM / SIZE	R12 S R12 M R12 L R12 XL R12 XXL

CERTIFICATIONS



EN 388:2016+A1:2018



REGULATIONS

REG EU 2016/425
EN 388:2016 + A1:2018


ALLERGENS



USAGE



PACKAGING



* 5 masterbag of 10 packs each

REFLEXX PU13



POLYURETHANE GLOVES

Seamless knitted black synthetic gloves, **black polyurethane palm coated**.

Elastic wrist, open back.

Not suitable for dipping.

EN 388:2016+A1:2018 - 2121X



FEATURES	
LENGTH	24 cm (M)
COLOUR	Black / Black
LINER MATERIAL	Synthetic
COATING	Polyurethane
OTHER	Seamless
THICKNESS	13 Gauge
ITEM / SIZE	R13 S R13 M R13 L R13 XL R13 XXL

CERTIFICATIONS



EN 388:2016+A1:2018



REGULATIONS

REG EU 2016/425
EN 388:2016 + A1:2018

ALLERGENS



USAGE




PACKAGING



* 5 masterbag of 10 packs each

REUSABLE



REFLEXX 101 HD



NEOPRENE AND LATEX GLOVES

LIGHT INNER FLOCK-LINING

Sold in pairs.

Lightly flock-lined and externally chlorinated.

Anti-slip pattern.

Good chemical and mechanical resistance.

EN ISO 374-1:2016 TYPE A

(certified with 6 chemicals)

and certified for resistance against

VIRUS - EN ISO 374-5:2016



NEOPRENE + LATEX



- Weight: 105.0 g
- Lightly flock-lined
- Anti-slip pattern



ITEM / SIZE	R101 M	R101 L	R101 XL	R101 XXL
-------------	--------	--------	---------	----------

FEATURES	
PAIR WEIGHT	105.0 g +/- 5.0 (M)
PALM THICKNESS	0.68 mm +/- 0.05
LENGTH	32 cm
COLOUR	Black
SURFACE	Anti-slip pattern
OTHER	Lightly flock-lined



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG 388:2016+A1:2018

ALLERGENI



CHEMICALS



PACKAGING



* 5 masterbag of 10 packs each

USAGE



REFLEX 97 HD



NITRILE GLOVES

LIGHT INNER FLOCK-LINING

Sold in pairs. Lightly flock-lined. Externally chlorinated.

Anti-slip pattern.

Excellent chemical (polyvalent) and mechanical (abrasion and perforation) resistance.

The stable formulation allows the contact with any type of food (for 30' at 40° C).

EN ISO 374-1:2016 TYPE A
(certified with 6 chemicals)
and certified for resistance against
VIRUS - EN ISO 374-5:2016



HEAVY NITRILE



- Weight: 63.0 g
- Lightly flock-lined
- Anti-slip pattern



ITEM / SIZE	R97 M	R97 L	R97 XL	R97 XXL
-------------	-------	-------	--------	---------

FEATURES	
PAIR WEIGHT	63.0 g +/- 5.0 (M)
PALM THICKNESS	0.40 mm +/- 0.05
LENGTH	33 cm
COLOUR	Green
SURFACE	Anti-slip pattern
OTHER	Lightly flock-lined

FOOD SUITABILITY	
AQUEOUS	✓
ACID pH <4,5	✓
DAIRY	✓
ALCOHOLIC	✓
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5
REG 388:2016+A1:2018
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



CHEMICALS



PACKAGING



* 5 masterbag of 10 packs each

USAGE



REFLEXX 94



LATEX GLOVES

BICOLOUR FLOCK-LINED

Double yellow/blue latex layers for higher resistance on palm and fingers.

High quality for long lasting and improved resistance.
Externally chlorinated for better performance and hygiene.

Anti-slip pattern.
Cotton flock-lining inside.



BICOLOR



- Weight: 80.0 g
- Lightly flock-lined
- Anti-slip pattern



ITEM / SIZE	R94 S	R94 M	R94 L	R94 XL
-------------	-------	-------	-------	--------

FEATURES	
PAIR WEIGHT	80.0 g +/- 5.0 (M)
PALM THICKNESS	0.50 mm +/- 0.05
LENGTH	33 cm
COLOUR	Yellow / Blue
SURFACE	Anti-slip pattern
OTHER	Lightly flock-lined



CERTIFICATIONS



REGULATIONS

REG EU 2016/425
EN ISO 374-1, EN ISO 374-5

ALLERGENS



CHEMICALS



PACKAGING



* 5 masterbag of 10 packs each

USAGE





REFLEX 90

FLOCK-LINED LATEX GLOVES

Sold in pairs, beaded cuff.

Anti-slip pattern.

Cotton flock-lining inside.



FEATURES	
PAIR WEIGHT	50.0 g +/- 3.0 (M)
PALM THICKNESS	0.32 mm +/- 0.04
LENGTH	30 cm
COLOUR	Yellow
SURFACE	Anti-slip pattern
OTHER	Cotton flock-lined

CERTIFICATIONS



REGULATIONS

REG EU 2016/425

ALLERGENS



USAGE



PACKAGING



* 12 masterbag of 10 packs each

ITEM / SIZE

R90 S

R90 M

R90 L

R90 XL

REFLEX 92

UNLINED LATEX GLOVES

Sold in pairs.

Internally chlorinated for easy donning and to reduce the risk of latex protein allergies.



FEATURES	
PAIR WEIGHT	50.0 g +/- 3.0 (M)
PALM THICKNESS	0.30 mm +/- 0.04
LENGTH	30 cm
COLOUR	Amber
SURFACE	Anti-slip pattern
OTHER	Unlined

CERTIFICATIONS



REGULATIONS

REG EU 2016/425

ALLERGENS



USAGE



PACKAGING



* 12 masterbag of 10 packs each

ITEM / SIZE

R92 S

R92 M

R92 L

R92 XL



FEATHER



FEATHER COTTON



LATEX GLOVES

FLOCK-LINED

Household gloves, suitable for cleaning.

100% natural latex.

Anti-slip pattern.
Cotton flock-lining inside.

Sold in pairs, beaded cuff.



FEATURES	
PAIR WEIGHT	40.0 g +/- 3,0 (M)
PALM THICKNESS	0.28 mm +/- 0.03
LENGTH	30 cm
COLOUR	Yellow
SURFACE	Anti-slip pattern
OTHER	Cotton flock-lined

CERTIFICATIONS



REGULATIONS

REG UE 2016/425

ALLERGENS



CHEMICALS



USAGE



PACKAGING



* 12 masterbag of 10 packs each

ITEM / SIZE

FC S

FC M


FC L



FEATHER PLUS

POWDERED LATEX GLOVES

Disposable, ambidextrous.



USAGE



FOOD SUITABILITY



AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✗
DRY FOODS	✓

Tested for 30' at 40°

FEATURES

WEIGHT	4.8 g +/- 0.4 (M)
PALM THICKNESS	0.07 mm +/- 0.03
LENGTH	24 cm
COLOUR	White
SURFACE	Smooth
OTHER	Powdered

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



PACKAGING



ITEM / SIZE

FP S

FP M

FP L

FP XL

FEATHER LATEXX PF



POWDER FREE LATEX GLOVES

Disposable, ambidextrous.
Protein content below 50 µg/g to reduce the risk of allergies and increasing biocompatibility.



USAGE



FOOD SUITABILITY



AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✗
DRY FOODS	✓

Tested for 30' at 40°

FEATURES

WEIGHT	5.4 gr +/- 0.2 (M)
PALM THICKNESS	0.1 mm +/- 0.03
LENGTH	24 cm
COLOUR	White
SURFACE	Micro-roughened
OTHER	Inner chlorination

CERTIFICATIONS



REGULATIONS

REG EU 2016/425
DM 21/03/1973 | REG EU 10/2011

ALLERGENS



PACKAGING



ITEM / SIZE

FPF S

FPF M

FPF L

FPF XL



FEATHER NITREXX

POWDER FREE NITRILE GLOVES

Disposable, ambidextrous.

High sensitivity and resistance (2.7 g only).



REGULATIONS

REG EU 2016/425
DM 21/03/1973 | REG EU 10/2011

FOOD SUITABILITY

AQUEOUS	✓
ACID pH <4,5	✗
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✓
DRY FOODS	✓

Tested for 30' at 40°

FEATURES

WEIGHT	2.7 g +/- 0.2 (M)
PALM THICKNESS	0.07 mm +/- 0.02
LENGTH	24 cm
COLOUR	Light Blue
SURFACE	Micro-roughened
OTHER	Powder Free

CERTIFICATIONS



PACKAGING



ALLERGENS



CHEMICALS

USAGE



ITEM / SIZE

FNX S

FNX M

FNX L

FNX XL

FEATHER FLEXX PF

POWDER FREE VINYL GLOVES

Disposable, ambidextrous.



REGULATIONS

REG EU 2016/425
DM 21/03/1973 | REG EU 10/2011

FOOD SUITABILITY

AQUEOUS	✓
ACID PH <4,5	✓
DAIRY	✗
ALCOHOLIC	✗
OILY, FATTY	✗
DRY FOODS	✓

Tested for 30' at 40°

FEATURES

WEIGHT	4,0/4,5 g +/- 0.3 (M)
PALM THICKNESS	0.05 mm +/- 0.02
LENGTH	24 cm
COLOUR	Transparent
SURFACE	Smooth
OTHER	Powder Free

CERTIFICATIONS



PACKAGING



ALLERGENS



CHEMICALS



USAGE



ITEM / SIZE

FVPF S

FVPF M

FVPF L

FVPF XL



Promotional material

Floor Display

4 shelves suitable for displaying the different Reflexx dispensers



Dimensions (cm):
58 x 38 x 168

Floor Display - Reflexx Pro

9 hooks for hanging work gloves from the Reflexx Pro line



Dimensions (cm):
59.6 x 39,2 x 181

Desk Display - Tester

Universal base with removable crowner for the different sectors of use of the gloves



Dimensions (cm):
19 x 40/55 x 11

Depliant

Depliant and brochure of the various Reflexx lines: Food Line, Care Line and supported work gloves.



Sample packs

Sample bags containing 4 sample gloves. Available for all models and sizes of disposable gloves.



Packaging

All Reflexx packs are designed to facilitate the identification of the item and sizes and to provide all the information required by law.



Website

The constantly updated **www.reflexx.com** site is the collection point for all information about the company and its products.

Guanti In Nitrile Senza Polvere Full Grip N85 Arancione - gr. 8,4 Ultra resistente

GUANTI IN NITRILE 3D FULL GRIP ARANCIONE - Ultra resistente e robusto

- **FULL GRIP:** speciale grip 3D su tutto il palmo e le dita per una presa ottimale anche sul bagnato o in presenza di olio.
- **HEAVY DUTY:** il grip e il peso elevato del guanto - peso 3,4 gr con spessore 0,15-0,20 mm - lo rendono particolarmente idoneo ad usi Industriali, nel settore della meccanica e automotive.
- **Ultra resistente e robusto, gr. 8,4**
- **Particolarmente adatto ad usi nell'Industria meccanica, automobilistica, ed Industria pesante**
- **ALTA VISIBILITÀ:** il colore arancione aiuta il lavoratore anche in condizioni di bassa luce e il responsabile sicurezza nella fase di controllo dell'uso del DPI
- **DPI Cat. 3** di rischio anche per protezione da agenti chimici microorganismi (Reg. EU 2016/425).
- **EN ISO 374-1:2015 / TYPE B:** certificato con 3 elementi chimici
- **EN ISO 374-5:2016:** guanti protettivi contro batteri e funghi
- **MOCA** idonei al contatto con diverse tipologie di alimenti (conforme alla direttiva 2002/72/CEE, DM 21.3.1973, Reg. 2004/1935/CEE e Reg. EU 50/2016 e successivi aggiornamenti). Leggi la Dichiarazione di idoneità al Contatto Alimentare (DICA) per ulteriori informazioni.
- **L'assenza di polvere** riduce il rischio di dermatiti e contaminazione
- **Monouso, ambidestri, 100% Latex Free**

SCOPRI SUBITO UN PREVENTIVO

DOWNLOADS

- DICHIARAZIONE DI CONFORMITÀ DPI
- NOTA INFORMATIVA
- IDONEITÀ CONTATTO ALIMENTARE

PDF

The **product page** presents all the **essential information for the user:** from glove features to regulations for which it is suitable and the test results passed.

All accompanied with a photograph of the sales package and a photo of the glove.

The **download section** from which you can download all the updated documentation in convenient **PDF format** (information notes, declarations of conformity, DICA etc ...).

CERTIFICAZIONI

CE

Il marchio CE significa Conformità Europea ed attesta che il prodotto rispetta le normative vigenti all'interno della Comunità Europea che governano la produzione e la immissione nel mercato del prodotto.

DPI

Regolamento EU 2016/425 ha abrogato e sostituito ad Aprile 2016 la precedente direttiva 89/686/CEE e identifica 3 classi di DPI sulla base della definizione di rischio:

- CAT I: rischi minori, autocertificazione;
- CAT II: rischi di livello intermedio (non I e III), certificati da ente accreditato;
- CAT III: rischi molto elevati, non possono essere né prodotti né messi in commercio senza essere stati valutati, progettati ed omologati da ente accreditato.

In these pop-up sections, the following topics can be explored:

- certifications
- characteristics
- advice for use
- information on allergens
- measurements, weights and EAN codes of each size of dispenser and carton
- instructions for the correct disposal of the packaging and the glove
- illustrative video of the product

The Reflexx web site contains many other useful info in the **PRESS** section, check it periodically to be update about our activities.

Industry Magazines

Reflexx is also constantly present on the best sector publications in the BtoB sector on which you can read our interventions and see our advertisements.



Sponsorship

Reflexx, in 2022, decided to strengthen actions in favor of social and environmental issues.

The company promotes its CSR through a voluntary action plan in favor of the well-being of the society in which it operates and the planet. This plan has been called **"Reflexx for Planet"**, identifiable with the following new dedicated logo.



In this way, at Reflexx, we aim to stand out for our ability to rethink business practices from a sustainable perspective and in step with social and technological evolution.

Social media

For a continuous update on the latest news of Reflexx products or sector information follow us on social networks, scan the QR codes below!





08.2022

Reflexx S.p.A. reserves the right to make changes without further notice.

Reflexx S.p.A.

Via Passeri, 2 46019 - Viadana (MN) - ITALY
contatti@reflexx.com

www.reflexx.com